

# ANTI FLOODING RAPID®

FLOOD CONTROL SYSTEMS



**Barriers catalog 2021**

Data stampa: 11/10/2021



OUR STRENGTH... SINCE 1965 IS OUR GOOD REPUTATION

# GET ON THE TRACK WITH US



WIND



SUN



RAIN

At Time Attack 2021, we sponsor a crew that reflects Soul:  
**Accuracy, speed and competitiveness, which takes to the track in any weather ... like you!**

CALENDAR 2021				
2020	2019	2018	2017	2016
APR 11	Misano			
MAY 23	Monza			
JUN 13	Imola			
SEP 12	Franciacorta			
OCT 24	Mugello			
NOV 07	Misano			

**ASK FOR YOUR VOUCHER:  
GUEST IN THE BOX**

# ADVANTAGES OF THE RAPID BARRIER COMPARED TO OTHER MODELS

## **Theft Protection:**

WARNING! Thanks to its simple but effective mechanism, the barrier can be equipped with a latch to which an anti-theft padlock can be applied and not removed, thanks to its interlocking in the side profiles.

## **Test certificate:**

The barrier has a test certificate for a size of 500 x 100 cm (width x height) at the Giordano Institute Spa that other Companies in the market have not either they did not satisfy the test for and therefore do not have it or have it up to 1m width.

## **Affordability:**

It already has side profiles for sealing against hydraulic thrust and any latch as standard.

## **Aesthetics and Design:**

On request, the lateral profiles can be camouflaged by varnishing them in the colour of what is behind or of the wall. They can also be supplied with the same height of the compartment and with a cover to hide the internal mechanisms, to look like an elegant and decorative frame, with the possibility of LED lighting inside. On request, the barrier can be covered by a photographic film reproducing what is behind, or varnished in a RAL colour matching its door, which makes it a product of the highest design.

## **Ease of installation:**

The only barrier with an installation video, measurement and installation guidelines articulated with many well-detailed pages and accompanied by drawings and photos, always accompanied by a very detailed Use and Maintenance Manual.

## **Ease of relief:**

Thanks to the protruding part of the lateral profile, of course compensating for any out of square/lack of orthogonality in the compartment.

## **Lightness and Strength:**

The barrier is created with light materials. Thanks to the particular angular fixing profiles with hydraulic thrust sealing function, it can be raised only 3 cm to insert it. This makes the Rapid barriers easier to place than others, like those with U or C profiles that have to be raised of the double of the height of the barrier or those with stackable staves that has to be placed or removed stave by stave.

## **Maintenance:**

The barrier does not rust as it is made of aluminum and stainless steel.

## **RAPID barrier 20 cm:**

The barrier of this height is convenient to be climbed, but if it is very wide, it has little leverage for insertion and therefore it takes at least one man to slot it.

## **Customization:**

We produce to measure in width from 23 cm up to 490 cm of mm in mm and we are able to perform multiples joined by special dividing posts to create embankments of Km even just to protect and completely enclose a house or a sector of a warehouse but also for large gates or fences. We also have STACKABLE barriers that can reach up to 350 x 220 cm in height.

## **Speed of delivery:**



In few days with the best International carriers.

## **Ease of use:**

The barrier can be applied quickly. It needs a very little space for insertion between any 2 protruding frames of the internal and external window, and fits with a simple "Click Clack" that keeps it well pressed and vertically even in case of strong water pression.

# RAPID barrier certified leak test

Test phase at the **Giordano Institute** with a barrier full of water



**DIMENSION TESTED: Width 500 x 100 cm Height (at least double of the similar ones on the market) complying with the IFT guidelines**

# EXAMPLES AND FIELDS OF USE



# RAPID CLICK

*With a CLICK you compress the three seals*

**PATENTED**



Maximum width 4,90 m x maximum height 1,40 m\*

\*up to...

# RAPID CLICK



# MODERNA

*The barrier of the future, without side profiles*



**CLICK**

*Upper handle  
OPTIONAL  
PATENTED*



**PATENTED**

**WITHOUT  
SIDE PROFILES**

*Bottom handle  
STANDARD*

Maximum width\* 2,25 m x maximum height\* 1,20 m

\*variable dimensions

# MODERNA PLUS

*The barrier of the future, without side profiles*



**PATENTED**

**WITHOUT  
SIDE PROFILES**

Maximum width\* 3,05 m x maximum height\* 1,6 m

\*variable dimensions



**ADJUSTABLE WIDTH**

**PATENTED**

**WITHOUT  
SIDE PROFILES**

Maximum width 2,75 m x maximum height 1 m

PATENTED



FULL-D  
Maximum width 1,25 m x  
maximum height 2,40 m




FULL-W  
Maximum width 2,05 m x  
maximum height 1 m



FULL-G Maximum width 2,05 m x maximum height 1 m

**CLOSE**

*The anti-flooding door*



Maximum width 1,95 m x maximum height 2,40 m



Maximum width 3,05 m x maximum height 1,40 m



Maximum width 3 m x maximum height 2 m



Maximum width 3,50 m x maximum height 2,20 m

# DIVIDING POST

*Telescopic removable with sump and manhole cover*



For infinite lengths...

# FOUR-COLOURS FILM

Four-colours film applied only on the external side (only for RAPID).

## Minimum billing

SUPPLY OF PICTURE IN PDF FILE, ALREADY SIZED AND IN PROPORTION.


ATTENTION! The aesthetic result depends on the definition quality of the photograph sent to us, for which we have no responsibility.

ATTENTION! Warranty on fading by direct brightness: 6 months.

ATTENTION! In case of flooding in the joints of the very wide and/or high barrier, the film could crack (not under warranty).

ATTENTION! The film in the parts in contact with the accessories tends to lyse in a short time. (not under warranty)

PRODUCTION TIMES: AT LEAST 20 days



# STAINLESS STEEL COLUMNS OR CARPENTRY

POSSIBLE STAINLESS STEEL CARTENTRY (E.G. BEHIND THE OVERHEAD DOOR)  
TO QUOTE, 30 days waiting time



**COLUMN RECESSING TO THE COMPARTMENT**



**“U” SHAPE FRAME**

# EQUIPMENT

## EXHIBITOR WITH BARRIER:

THE PRICE OF THE EXHIBITOR DEPENDS ON THE BARRIER

RAPID CLICK: minimum size W 55 cm x H 40 cm; recommended size W 70.3 cm x H 40 cm.

MODERNA: minimum size recommended W 55 cm x H 40 cm.

WITH FREE CARPENTRY OR WITH ADDITIONAL DISCOUNT ON THE BARRIER

THE INVESTMENT IS RECOVERABLE ACCORDING THE TURNOVER OF THE FIRST 12 MONTHS.

ATTENTION! A "FIRST AID" KIT + BRONZE LEVEL WINDOW DECAL WILL BE GIVEN FOR FREE.

## RAPID CLICK MODERNA



# ADVANTAGES FOR EXHIBITORS OWNERS

1000 FLIERS WITH LOGO TO JOIN TO ALL QUOTES YOU ISSUE, ALSO OF OTHER PRODUCTS.



USE OF OUR LOGO AND PHOTOS ON YOUR WEBSITE:

ONLY IF REQUESTED AND AUTHORIZED WITH A SPECIFIC CONTRACT SIGNED.

ANY OTHER USE THAT HAS NOT BEEN PREVIOUSLY AUTHORIZED WILL BE PROSECUTED UNDER THE APPLICABLE ITALIAN LAWS.



UPDATE AND SALE COURSE FREE



MEASURE COURSE

SILVER WINDOW DECAL



INSTALLATION COURSE FREE

GOLD WINDOW DECAL



PHOTO CONTEST WITH FINAL PRIZE



TRAVEL AWARD TO THE SELLER WITH THE BEST ANNUAL RESULT



VOUCHER GUEST AT THE BOXES OF THE "TIME ATTACK" EVENT



BUSINESS CARD

# FLOODING?

It is easily solved with...

# RAPID Barrier

*Limit the damage!*

## PALLIATIVE REMEDIES



**Sandbags**



**Wooden board**

*Hurry up! Bad weather does not wait*



**Before**




## EFFECTIVE SOLUTION

**During**



**After**



**PELLEGRINO S.p.A.**  
**ANTI-FLOOD BARRIERS DIVISION**

Via Fossombrone, 2  
(per GPS: Via Dismano, 116)

48124 RAVENNA

Tel. 0544 65592 - Fax 0544 477934

[www.rapid.sm](http://www.rapid.sm) - [export@rapid.sm](mailto:export@rapid.sm)